

## ACCREDITATION CERTIFICATE

### No. LA.190-01

Lithuanian National Accreditation Bureau hereby certifies that

complies with the requirements of

**Physical Research Laboratory  
of SC “Preventus”**

**LST EN ISO/IEC 17025:2018**

legal entity: MB „Preventus”  
legal entity code: 305406591

and is competent to perform:

**testing of air permeability of buildings, air leakage of ducts, air handling units, premises with  
fixed extinguishing gas system**

The scope of accreditation below is an integral part of this certificate. Locations of the conformity assessment body are specified in the scope of accreditation

Initial accreditation date: **2021-07-01**

Certificate issued / valid since: **2024-04-05**

Version of: **2024-04-05**

Expiry date: **2026-06-30**

Director



DĀLIA BALEŽENTĒ

The certificate may be changed, its validity suspended or withdrawn by the decision of the National Accreditation Bureau. Information on the actual data of accreditation certificates may be verified at [nab.lrv.lt](http://nab.lrv.lt)





## SCOPE OF ACREDITATION

**Physical Research Laboratory of SC “Preventus”**, accredited in accordance with **LST EN ISO/IEC 17025:2018**

Location of the conformity assessment body

**Lelijų st. 16, Poderiškiai, Kaunas district. LT-53370**

| Materials or products tested                  | Component, parameter or characteristic to be tested | Reference number of the document specifying test methods, clause (if relevant) | Techniques, methods and/or equipment used (where appropriate) |
|---|---|--|---|
| Buildings and parts of buildings              | Air permeability of buildings                       | LST EN ISO 9972:2015   | Fan pressurization method                                     |
| Premises with fixed extinguishing gas systems | Hold time   | LST EN 15004-1:2019 (E.1, E.2, E.3, E.4)                                       | Fan pressurization method                                     |
| Circular sheet metal ducts                    | Air leakage   | LST EN 12237:2003 (4, 5.1, 6, 7, 8)  | Pressure difference method                                    |
| Rectangular sheet metal ducts                 | Air leakage   | LST EN 1507:2006 (4.1; 5.1; 5.2; 6.1; 6.2)                                     | Pressure difference method                                    |
| Air handling units                            | Casing air leakage                                  | LST EN 1886:2008 (6.1, 6.2, 6.3, 6.4)  | Pressure difference method                                    |

Note. In case of any discrepancies, ambiguities or disputes regarding the subject matter content between the English and Lithuanian versions of the document, the Lithuanian version shall prevail.

The accreditation certificate is signed with a qualified electronic signature as an attachment to the order of the Director of the National Accreditation Bureau, by which it was approved